

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 10/10/2016

Page 1/7

1 Identification

- · Product identifier
- · Trade name: 2002
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cyberbond LLC 401 North Raddant Road Batavia, IL 60510 USA sales@cyberbond1.com 630-761-8900
- Information department: Product safety department
 Emergency telephone number: International-1-(352)-323-3500 US & Canada-1-(800)-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: ethyl 2-cyanoacrylate
- · Hazard statements
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

Precautionary statements

Keep away from flames and hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

- Wash thoroughly after handling.
- Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Printing date 10/10/2016

Trade name: 2002

Reviewed on 10/10/2016

(Contd. of page 1)

50-100%

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

7085-85-0 ethyl 2-cyanoacrylate

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call a doctor immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Breathing difficulty
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically. Ensure adequate ventilation.

Do not use cotton or natural fiber cloths for clean up

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Printing date 10/10/2016

Trade name: 2002

Reviewed on 10/10/2016

(Contd. of page 2)

7 Handling and storage

· Handling:

- Precautions for safe handling Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide ventilation for receptacles. Store in a cool location. Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- · Components with limit values that require monitoring at the workplace:
- 7085-85-0 ethyl 2-cyanoacrylate

TLV Long-term value: 1 mg/m³, 0.2 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of guality and varies from manufacturer to manufacturer.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Not suitable are gloves made of the following materials:

Cotton or natural fibers **PVC** gloves

• Eye protection: Safety glasses



Tightly sealed goggles

Printing date 10/10/2016

· Body protection: Protective work clothing

Trade name: 2002

Reviewed on 10/10/2016

(Contd. of page 3)

9 Physical and chemical properties		
 Information on basic physical and che General Information Appearance: Form: Color: 	emical properties Liquid Colorless	
· Odor: · Odor threshold:	Characteristic Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. >150 °C (>302 °F)	
· Flash point:	>87 °C (>189 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	0.27 hPa	
 Density at 20 °C (68 °F): 	1.05 g/cm ³ (8.762 lbs/gal)	
 Bulk density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.05 kg/m ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water)	Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
 Solvent content: Organic solvents: VOC content: Other information 	0.0 % 0.0 g/l / 0.00 lb/gl No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with alcohols, amines, aqueous acids and alkalis. Reacts with water and acids.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

Printing date 10/10/2016

Trade name: 2002

Reviewed on 10/10/2016

(Contd. of page 4)

3

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories

123-31-9 1,4-dihydroxybenzene

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	Void
· UN proper shipping name	
DOT, ADN, IMDG, IATA	Void
 Transport hazard class(es) 	
· DOT, ADN, IMDG, IATA	
Class	Void
· Packing group	
· DOT, IMDG, IATA	Void

(Contd. of page 5)

Reviewed on 10/10/2016

Safety Data Sheet acc. to OSHA HCS

Printing date 10/10/2016

Trade name: 2002

- · Environmental hazards:
- · Marine pollutant:
- · Special precautions for user
- · Transport in bulk according to Annex II of
- MARPOL73/78 and the IBC Code
- · UN "Model Regulation":

Not applicable. Void

Not applicable.

No

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 Section 355 (extremely hazardous substances): 	
123-31-9 1,4-dihydroxybenzene	
· Section 313 (Specific toxic chemical listings):	
123-31-9 1,4-dihydroxybenzene	
· TSCA (Toxic Substances Control Act) (Substances not listed):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
109-63-7 diethyl etherboron trifluoride	I (oral)

· TLV (Threshold Limit Value established by ACGIH)

123-31-9 1,4-dihydroxybenzene

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labeling: ethyl 2-cyanoacrylate
- · Hazard statements
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

· Precautionary statements

Keep away from flames and hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves / eye protection / face protection. A3

Printing date 10/10/2016

Trade name: 2002

Reviewed on 10/10/2016

(Contd. of page 6)

Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Product Safety Department · Contact: Cyberbond Regulatory Department · Date of preparation / last revision 10/10/2016 / 3 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• * Data compared to the previous version altered.