

Safety Data Sheet

1. IDENTIFICATION

Product Identifier: Dur-A-Sil Equal Silicone Impression Material (Part B) **Recommended use:** To anatomical impressions of the ear and ear canal or other

moldmaking applications.

Recommended restrictions: None known

Manfacturer Information

Company Name: Insta-Mold Products, Inc.

Address: 640 Hollow Road, Oaks, PA 19456, USA

Telephone: General Assistance: 610-935-7270

Email: <u>moreinfo@instamold.com</u>

Contact person: Health & Safety

Emergency phone Number 24 hour: CHEMTREC 800-424-9300

2. Hazard(s) Identification

Physical hazards: Not classified Health hazards: Not classified OSHA defined hazards Not classified

Label elements

Hazard symbol None **Signal word** None

Hazard statement Hazard statement

Precautionary statement

Prevention Observe good industrial hygiene practices

Response Wash Hands after handling

Storage Store away from incompatible materials

Disposal Dispose of waste and residues in accordance with local authority

requirements

Hazard(s) not otherwise

Classified (HNOC)

None known

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Polyvinylsiloxane	68083-19-2	40-60
Methylhydrogensiloxane Dimethylsiloxane Copolymer	68037-59-2	1.0-2.5
Pigment	Mixture	2-4
Fumed silica	68909-20-6	10-30

4. First-aid meaures

Inhalation Move to fresh air. Call a physician if symptons develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops

and persists

Eye contact Rinse with water. Get medical attention if irritation develops and persists

IngestionRinse mouth. Get medical attention if symptons occur.Most importantDirect contact with eyes may cause temporary irritation

Symptons/effects, Acute and delayed

Indication of immediate Treat symptomatically **Medical attention and**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Special treatment needed

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide

(CO2).

Unsuitable extinguishing Media Do not use water jet as an extinguisher, as this will spread

the fire.

Specific hazards During fire, gases hazardous to health may be formed. Do

not mix with strong alklis such as sodium hydroxide or potassium hydroxide with heat (> 1200 C). This can cause

the generation of silicone cyclic compounds that are

flammable.

Fire fighting Move containers from fire area if you can do so without

risk

Equipment/instructions

Specific methodsUse standard firefighting procedures and consider the

hazards of other involved materials

6. Accidental release mesures

Personal Precautions Keep unneccary personnel away. Avoid contact with eyes. For

personal protective equipment and protection, see section 8 of

the SDS

Emergency procedures

Methods and materials for S containment and cleaning up

Scrape up with putty blade. Wipe up with absorbent material.

and clean thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste

disposal, see section 13 of the SDS

Environmental precautions Avoid discharge into drains, water courses or onto the ground

7. Handling and storage

Precautions for safe handling Wear appropriate personal protective equipement. Avoid

contact with eyes and clothing. Wash thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage Store in original tightly closed container. Store in a cool,

dry place. Store

Including any incompatibilities away from incompatible materials (See Section 10 of the

SDS).

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s)

Biological limit values No biological exposure limits noted for the ingredient(s)

Appropriate engineering controls Good general ventilation. This product may be capable of

generating 0.1 ppm or greater formaldehyde vapors under certain use conditions. According to OSHA 29 CFR 1910.1048 formaldehyde vapors may be considered hazardous if workplace airborne concentrations exceed p.1

ppm.

Individual protection measures, such as personal personal protective equipment

Eye/face protection: Safety glasses

Skin protection: Vinyl gloves can be worn

Respiratory Protection None **Thermal hazards** N.A.

General hygiene consierations Always observe good personal hygiene measures, such as

washing after handling the material and before eating,

drinking, and/or smoking. Routinely wash work closthing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Phyical state Putty
Form Putty
Color Turquoise

Odor Mild to none **Odor threshold** Not available рH Not available Melting point/freezing point Not determined Initial boiling point and boiling range Not available Flash point 131 Celcius **Evaporation rate** Not available Flammability (solid,gas) Not applicable

Upper/lower flammability or explosive limits

Flammability limit-lower(%)
Flammability limit-upper(%)
Explosite limit – lower (%)
Not available
Not available
Not available
Not available

Vapor pressure at 20 degrees C 100 hPa

Vapor denistyNot determinedRelative density1.17 g/cm3

Solubility(ies)

Solubility (water)Partition coefficient
Not miscible
Not available

(n-octanol/water)

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot determined

Other information

Explosive propertiesOxidizing properties
Not explosive
Not oxidizing

10. Stability and reactivity

Reactivity The product is stable and non-rective under normal conditions or

use, storage and transport

Chemical Stability Material is stable under normal conditions.

Possibility of hazardous No dangerous reaction known under conditions of normal use.

Reactions

Conditions to avoid Avoid temperatures exceeding the flash point Incompatible maerials Strong oxidizing agents. Strong alkalis.

Hazardouus decomposition Methylpolysiloxanes can generate formaldehyde at approximately

products 300 degreesFahrenheit (150 C) and above, in atmospheres which

contain oxygen.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expectedSkin contactNo adverse effects due to skin contact are expectedEye contactDirect contact with eyes may cause irritationIngestionExpected to be a low ingestion hazard

Symptons related to the Direct contact wit eyes may cause temporary irritation

Physical, chemical and Toxicological characteristics

Information on Toxicological effects

Acute toxicity Not available

Skin corrosion/irritation Prolonged skin contact rarely causes temporary irritation **Serious eye damage/eye** Direct contact with eyeeesss may cause temporary irritation

Irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer

Skin sensitization

This product is not expected to cause skin sensitization

No data available to indicate product or any components

present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC,

ACGIH, NTP, or OSHA.

OSHA Specificially Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Reproductive toxicityThis product is not expected to cause reproductive or

developmental effects.

Specific target organ toxicity Not classified

(single exposure)

Specific target organ toxicity Not classified

(repeated exposure)

Aspiration hazard Not an aspiration hazard

12. Ecological information

Ecotoxicity This product is not classified as environmentally hazardous. However,

this does not exclude the possibility that large or frequent spills can have a

harmful or damaging effect on the environment.

Persistence and No data is available on the degradability of this product

Degradability

Bioaccumulative No data available

Potential

Mobility in soil No data available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion,

photochemical ozone creation potential, endocrine disruption, global

warming potential) are expected from this component.

13. Disposal consideration

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed

waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations

Hazardous waste code The waste code should be assigned in discussion between the user,

the producer and the waste disposal company.

Waste from residues Dispose of in accordance with local regulation. Empy containers

may retain some product residue. This material and its container

must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label

warnings even after container is emptied. Empty containers should

be taken to an approved waste handling site for recycling or

disposal

14. Transport information

DOT

Not regulated as dangerous goods

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established

Annex II of MARPOL 73/78 and

The IBC Code

15. Reguulatory Information

US federal regulations This product is not know to be a "Hazardous Chemical" as defined

by the OSHA Hazard Communication Standard, 29 CFR

1910.1200

TSCA Section 12 (b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard – No

Delayed Hazard – No Fire Hazard – No Pressure Hazard –No Reactivity Hazard –No

SARA 302 Extremely hazardous substance

Not listed

SARA 311/312 Hazardous No

Chemical

SARA 313 (TRI reporting)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clear Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130)

Not regulated

Safe Drinking Water Act

Not regulated

(SOWA)

US state regulations

US. Massachusetts RTK – Substance list

Not regulated

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsulvania Worker and Community Right-to-Know Law

Not listed

US. Rhode Island RTK

Not regulated

US, California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1966 (Proposition 65): This material is not know to contain any chemicals currently listed as carcinogens or reporoductive toxins.

International Inventories

Country(s) or region	Inventory name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances Yes	
Canada	Domestic Substances List (DSL) Yes	
Canada	Non-Domestic Substances List (NDSL) No	
China	Inventory of Existing Chemical Substances in China Yes (IECSC)	
Europe	European Inventory of Existing Commercia Substances (EINECS)	l Chemical No
Europe	Duropean List of Notified Chemical Substa	nces (ELINCS) No
Japan	Inventory of Existing and New Chemical Su	ibstances (ENCS) Yes
Korea	Existing Chemical List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Phillippine Inventory of Chemicals and Che (PICCS)	emical Substances yes

A "Yes" indicates this product complies with the inventory requirements administered by the governing coutry(s)

A "No" indicates that one or more components of this product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information, including date of preparation or last revision

Issue date: 9/19/2014

Revision date: May 28, 2015

Version #8

HMIS ratings: Health: 1

Flammability: 1 Physical hazard: 0

Disclaimer: Insta-Mold Products, Inc. cannot anticipate all conditions under

which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of this product, and to assume liability for loss, injury, damage or expense due to improper use. The

information in the sheet was written based on the best knowledge

and experience currently available.